



# CFM-Lite Crimp Force Monitor



Making your work easy



573 Route 30, Imperial, Pennsylvania




Tel: 724-695-2829




e-mail: [support@cs-technologies.com](mailto:support@cs-technologies.com)  
web page: [www.cs-technologies.com](http://www.cs-technologies.com)



## Low cost simple to use defect detection for your manual crimp presses



CFM-Lite for manual presses



Piezo electric frame sensors & ring sensors



T1, T2, T3, TD curve analysis



Simplified tolerance setting

Number of channel	1
Power supply	AC100-200V 50/60Hz
Output	STOP signal at error judgement
Input	Trigger input, external reset
Communication	USB communication with PC software
USB memory	Available for saving force data
Dimension	W 137mm x H84mm x D50mm

Querétaro, México: Alejandro Montelongo  
[amontelongo@cs-technologies.com](mailto:amontelongo@cs-technologies.com)  
Mobile: (521) 442-322-3917

Chihuahua, México: José Cazares  
[jcazares@cs-technologies.com](mailto:jcazares@cs-technologies.com)  
Mobile: (521) 656-626-6188

Juárez, México: Carlos Torres  
[ctorres@cs-technologies.com](mailto:ctorres@cs-technologies.com)  
Mobile: (521) 656-638-9502

